







Disclaimer

Due to the technical evolution and improvement of our products, the data provided in this document may be updated on a regular basis, and as such, confirmation of this information is strongly recommended prior to the order process. OneEightyOne is not responsible for any discrepancies in this document following changes in our products. We reserve the right to make technical changes to our products and to change information, at its sole discretion, without notice.

**Distribution box**

SCALE 1:2.5

**Disclaimer**

Due to the technical evolution and improvement of our products, the data provided in this document may be updated on a regular basis, and as such, confirmation of this information is strongly recommended prior to the order process. OneEightyOne is not responsible for any discrepancies in this document following changes in our products. We reserve the right to make technical changes to our products and to change information, at its sole discretion, without notice.



General

Length (mm)	280
Width (mm)	70
Height (mm)	45
Housing Color	Grey
Housing Material	Die-Cast Aluminum
Weight (g)	750
Cable Type	3 x PG16, 1 x PG11

Electronics

Input Voltage	24 ~ 48V DC
Output Voltage	24 ~ 48V DC

Control

Control	SPI PxLNet
Connection	Data input: 4x2x23AWG (S/FTP), Data output: 0.5mm-2.5mm ² ,

Environmental

Ingress Protection	IP68
--------------------	------

IP68

Disclaimer

Due to the technical evolution and improvement of our products, the data provided in this document may be updated on a regular basis, and as such, confirmation of this information is strongly recommended prior to the order process. OneEightyOne is not responsible for any discrepancies in this document following changes in our products. We reserve the right to make technical changes to our products and to change information, at its sole discretion, without notice.