DiGi Evenlight Panel



General

Height (mm) 50

Electronics

Input Voltage 24 V DC

Lighting

 LED Type
 SMD3535 (RGB) / SMD2835(WW)

 Color Range
 RGB and White separately

 Color Temperature (Kelvin)
 4000 K

 Colour Rendering Index (CRI)
 80

 Luminous Flux
 4P: 33 Im @ 4000K,

 8P: 66 Im @ 4000K,
 16P: 90 Im @ 4000K,

32P: 180 lm @ 4000K, 64P: 360 lm @ 4000K,

Control

Control SPI (RGB); PWM (W)
Compatible ICs UCS2912

Environmental

Storage Temperature	-25 ~ +65 °C
Operating Temperature	-10 ~ +45 °C
Ingress Protection	IP20

 ϵ



IP20

Disclaimer


Due to the technical evolution and improvement of our products, the data provided in this document may be updated on a regular basis, and as such, confirmation of this information is strongly recommended prior to the order process. OneEightyOne is not responsible for any discrepancies in this document following changes in our products. We reserve the right to make technical changes to our products and to change information, at its sole discretion, without notice.




oneeighty one.com

DiGi Evenlight Panel

Dimensions





159,75



M16 Male 3Pin Input connector

7,5

Connector


159,75 2,75 159,75 100 ... O


SCALE 1:3



Panel 32P SCALE 1:4

Panel 16P SCALE 1:4





Panel 64P SCALE 1:4

Disclaimer


Due to the technical evolution and improvement of our products, the data provided in this document may be updated on a regular basis, and as such, confirmation of this information is strongly recommended prior to the order process. OneEightyOne is not responsible for any discrepancies in this document following changes in our products. We reserve the right to make technical changes to our products and to change information, at its sole discretion, without notice.

OneEightyOne Valschermkade 27 - 28 | 1059CD | Amsterdam +31 20 8200170 | info@oneeightyone.com | www.oneeightyone.com

©2021



Paper size: A4



Disclaimer

Due to the technical evolution and improvement of our products, the data provided in this document may be updated on a regular basis, and as such, confirmation of this information is strongly recommended prior to the order process. OneEightyOne is not responsible for any discrepancies in this document following changes in our products. We reserve the right to make technical changes to our products and to change information, at its sole discretion, without notice.

OneEightyOne Valschermkade 27 - 28 | 1059CD | Amsterdam +31 20 8200170 | info@oneeightyone.com | www.oneeightyone.com

ion of ightyOne sin our

©2024

oneeighty one.com