LED Remote CT 4 Zone - F6

General	
Product Type	Wireless
Length (mm)	145
Width (mm)	40
Height (mm)	12
Housing Color	White
Housing Material	Plastic
Weight (g)	85
Electronics	
Power Supply	N/A
Lighting	
Color Range	Tunable White
Control	
Output Signal	2.4 GHz
Control	Radio Frequency
Remote Distance	25m
Zones	4
Environmental	
Ingress Protection	IP20

Battery

1x CR2032

CE IP20 5year warranty

Disclaimer

Due to the technical evolution and improvement of our products, the data provided in this document may be updated on a regular basis, and as such, confirmation of this information is strongly recommended prior to the order process. OneEightyOne is not responsible for any discrepancies in this document following changes in our products. We reserve the right to make technical changes to our products and to change information, at its sole discretion, without notice. 181

OneEightyOne Valschermkade 27 - 28 | 1059CD | Amsterdam +31 20 8200170 | info@oneeightyone.com | www.oneeightyone.com oneeighty

one.com



LTECH

FC CE PROHS



1509001/2

warranty

2.4G LED Color Temperature Controller

Main Characteristics

F6 RF CT Remote Control

Remote Option:	CT, 4 zones control
Working Voltage:	3Vdc (Battery CR2032)
Wireless Frequency:	2.4GHz
Visual Distance:	20m
Working Temperature:	-30°C~55°C
Package Size:	L150×W46×H18(mm)
Weight(G.W.):	80g

12~48Vdc

3~46Vdc

-30°C~55°C

165g


CC 350/700/1050mA×4CH

L178×W48×H33(mm)

1.05W~48.3W×4CH Max 193.2W

F4-3A CV Receiver

Input Voltage:	5~24Vdc
Max Current Load:	3A × 4CH Max. 12A
Max Output Power:	60W/144W/288W(5V/12V/24V)
Working Temperature:	-30℃~55℃
Package Size:	L127×W35×H24(mm)
Weight(G.W.):	60g



F4-CC CC Receiver

Input Voltage:

Output Voltage:

Output Current: Output Power:

Weight(G.W.):


Working Temperature: Package Size:


F4-5A CV Receiver

Input Voltage:	5~24Vdc
Max Current Load:	5A × 4CH Max. 20A
Max Output Power:	100W/240W/480W(5V/12V/24V)
Working Temperature:	-30°C~55°C
Package Size:	L178×W48×H33(mm)
Weight(G.W.):	150g


Note: Receiver is sold separately.

Dimensions






Holder



F4-5A/F4-CC




www.ltechonline.com





Indicator Light


Match/Clear code between remotes



Match/Clear code between remote and receiver

Match code:

Clear code.



LED Panel Light

www.ltechonline.com

LED Panel Light