

### General

Product Type	Constant Voltage Driver
Length (mm)	210
Width (mm)	43
Height (mm)	30
Housing Color	White
Housing Material	Plastic
Mounting	Surface mounted
Weight (g)	200
Wire Strip Length	5mm
Wire Type	2.5mm2

#### **Electronics**

Input Domain	AC
Input Voltage	100 ~ 240V AC
Output Voltage	12V DC
Output Current Max. (A)	3
Output Power Range (W)	0~36
Power Factor at Full Load	+0.95 @ 230VAC
Power Supply	Internal
LED Outputs	1
Anti Surge	L-N: 2kV
Efficiency	87%
Leakage current max. (mA)	0.5
Standby Power Loss Max. (W)	0.5
THD (at full load)	8% @ 230V AC
Input Frequency	50Hz, 60Hz
Inrush Current	25A @ 230VAC

# Lighting

Color Range Single Color

#### Control

Output Signal	PWM-CV
Control	DALI
Dimming Range	0~100%, 0.1% dimming depth.
Dimming Curve	Linear
Driver Configuration	Software
Number of Channels	1

## **Protection**

Reverse Polarity	Yes
LED Output Short	Yes
Overload	Yes
Restart after Protection	Yes
Protection Class	II

# Environmental

Storage Temperature -40 ~ +80 °C

# CE IP20 5<sub>year</sub> warranty

#### Disclaimer

Due to the technical evolution and improvement of our products, the data provided in this document may be updated on a regular basis, and as such, confirmation of this information is strongly recommended prior to the order process. OneEightyOne is not responsible for any discrepancies in this document following changes in our products. We reserve the right to make technical changes to our products and to change information, at its sole discretion, without notice.



oneeighty one.com

# LED Driver DALI 36W 12V - LM-36-12-G1D2

2850900

Operating Temperature

Fire-retardant V-0

-20 ~ +50 °C

Ingress Protection IP20

# Disclaimer

Due to the technical evolution and improvement of our products, the data provided in this document may be updated on a regular basis, and as such, confirmation of this information is strongly recommended prior to the order process. OneEightyOne is not responsible for any discrepancies in this document following changes in our products. We reserve the right to make technical changes to our products and to change information, at its sole discretion, without notice.



oneeighty one.com