



General

Diameter (mm)	15
Cover	Clear Tube
Housing Material	PC
Cable Color	Black

Electronics

Input Voltage	12 V DC
---------------	---------

Lighting

Optics (°)	360
LED Type	SMD5050
LED Spacing (mm)	62
LEDs per Pixel	2
Pixel Pitch	62 mm
Lifespan (hours)	50000
Color Range	RGB

Control

Control	DMX, SPI
Compatible ICs	DMX TTL
Control Units	Multi pixel
Number of Channels	24, 48, 96

Environmental

Storage Temperature	-30 ~ +70 °C
Operating Temperature	-20 ~ +50 °C
Ingress Protection	IP54




IP54

Disclaimer


Due to the technical evolution and improvement of our products, the data provided in this document may be updated on a regular basis, and as such, confirmation of this information is strongly recommended prior to the order process. OneEightyOne is not responsible for any discrepancies in this document following changes in our products. We reserve the right to make technical changes to our products and to change information, at its sole discretion, without notice.



Basic




Advanced




Disclaimer



Due to the technical evolution and improvement of our products, the data provided in this document may be updated on a regular basis, and as such, confirmation of this information is strongly recommended prior to the order process. OneEightyOne is not responsible for any discrepancies in this document following changes in our products. We reserve the right to make technical changes to our products and to change information, at its sole discretion, without notice.

Basic




Advanced





Connector
SCALE 1:2

Fixture
SCALE 1:3




Top View
SCALE 1:1


Disclaimer

Due to the technical evolution and improvement of our products, the data provided in this document may be updated on a regular basis, and as such, confirmation of this information is strongly recommended prior to the order process. OneEightyOne is not responsible for any discrepancies in this document following changes in our products. We reserve the right to make technical changes to our products and to change information, at its sole discretion, without notice.


DiGi Tube



Input cable



DiGi T-Split cable



Project reference/ order number	
Product code	

		DiGi Tube	
Reference	Quantity	L_{C1} (mm)	Length

		Input cable	DiGi T-split cable		
Reference	Quantity	L_{I1} (mm)	L_{C1} (mm)	L_{P1} (mm)	L_{Q1} (mm)

Disclaimer

Due to the technical evolution and improvement of our products, the data provided in this document may be updated on a regular basis, and as such, confirmation of this information is strongly recommended prior to the order process. OneEightyOne is not responsible for any discrepancies in this document following changes in our products. We reserve the right to make technical changes to our products and to change information, at its sole discretion, without notice.